

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Re:

Applicant:

Michel Gielis

Serial No.:

10/517,736

Filing Date:

12/9 /2004

Patent No.:

7,298,263

Title:

CONTROL AND/OR MONITORING DEVICE USING AN ELECTRONIC

LABEL, A READER AND A STATE ENCODER

Sir:

Enclosed for filing in the United States Patent and Trademark Office is the following:

- Revocation of Power of Attorney and Appointment of New Power of Attorney 1.
- 2. Statement Under 37 C.F.R. 3.73(b)
- 3. Appendix A
- 4. **Transmittal Sheet**

Respectfully submitted,

Brian E. Hennessey

Registration No. 51,271

Wolff & Samson PC

One Boland Drive

West Orange, NJ 07052

Tel: (973) 530-2030

Fax: (973) 530-2230

enc.

I hereby certify that this correspondence is being deposited with the United States Postal Service, First Class Mail, postage prepaid, to Commissioner for Patents, P.O. Box 1450, Alexandria,

VA 22313-1450 on

Maria & Johnson

1164553.1



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

POWER OF ATTORNEY AND CHANGE OF CORRESPONDENCE ADDRESS

Revoking all powers of attorney heretofore given in the applications and patents identified in Appendix A, please appoint the Practitioners associated with Customer Number 20694 as our attorneys or agents in the applications and patents identified in Appendix A, with full power of substitution and revocation, to prosecute said applications, to make alterations and amendments therein, and to transact all business in the Patent and Trademark Office connected therewith.

Please associate the applications and patents identified in Appendix A with Customer No. 20694 and direct all written correspondence in these applications to the address associated with Customer No. 20694. Please direct all telephone calls in the applications identified in Appendix A to Brian E. Hennessey at 973-530-2030.

By:

Martin Hellebrandt

Title: Head of Patent Department

Inventio AG, (Assignee of record of the entire interest) Statement Under 37 C.F.R. 3.73(b) enclosed

Date: Jan. 23, 2009



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

STATEMENT UNDER 37 C.F.R. 3.73(b)

Inventio AG, a corporation, states that it is the assignee of the entire right, title and interest in the patent applications and patents identified in Appendix A by virtue of assignments from the inventors of the patent applications/patents identified in Appendix A to Inventio AG.

Assignments from the inventors listed in Appendix A to Inventio AG were recorded in the United States Patent and Trademark Office at the corresponding Reel/Frame numbers listed in Appendix A.

As required by 37 C.F.R. 3.73(b)(1)(i), the documentary evidence of the chain of title from the original owner to the assignee was submitted for recordation pursuant to 37 C.F.R. 3.11.

The undersigned (whose title is supplied below) is authorized to act on behalf of the assignee.

By: Martin Hellebrandt

Title: Head of Patent Department

Date:

an. 23,70

Serial No.	Pre Filed - Patent No.	- Patent No.	Applicant ***			
29/293,331	11/16/2007		3	CONNECTING ELEMENT	(Kee) 020191	1 Freme 0326
29/293,342	11/16/2007		Ernst Ach	CONNECTING ELEMENT	020191	0323
29/292,338	10/9 /2007		Daniela Corti	OPERATING/DESIGN PANEL	020013	0110
29/292,337	10/9 /2007		Daniela Corti	OPERATING/DISPLAY PANEL	020013	0107
29/292,336	10/9 /2007		Daniela Corti	OPERATING/DISPLAY PANEL	020013	0113
29/245,343	12/21/2005	D542,419	Stefano Menchini	ELEVATOR SILL	017345	0184
29/245,327	12/21/2005	D542,933	Stefano Menchini	ELEVATOR SILL	018598	0514
29/213,138	9 /13/2004	D546,724	Werner Zemp	ELEVATOR CAR OPERATING PANEL	015795	0440
29/213,119	9 /13/2004	D545,176	Werner Zemp	KEY SWITCH	015790	0845
29/213,114	9 /14/2004	D551,419	Gerhard Kleaver	ESCALATOR WITH ILLUMINATED BALUSTRADE	015791	0448
11/998,704	11/30/2007		Pius Etmiger	CONNECTING DEVICE AND METHOD FOR OCNNECTING TWO WALL ELEMENTS OF AN ELEVATOR CAGE	020241	0638
11/981,978	10/31/2007		Johannes Kocher	STOP BAR FOR CREATING A TEMPORARY SAFETY SPACE 02045 WITHIN AN ELEVATOR HOISTWAY	02045	0201
11/981,919	10/31/2007		Johannes Kocher	STOP BAR FOR CREATING A TEMPORARY SAFETY SPACE 020148 WITHIN AN ELEVATOR HOISTWAY	020148	0888
11/904,789	9 /28/2007		Hans Kocher	ELEVATOR SYSTEM WITH SAFETY DEVICE ON ELEVATOR 020132 DOORS	020132	0350
11/900,282	9 /10/2007		Bernhard Gerstenkorn	Bernhard Gerstenkorn METHOD FOR MODERNIZING THE CONTROL OF AN EELVATOR SYSTEM	019856	0117
11/887,034	9 /24/2007		Rene Kunz	METHOD FOR DETECTING THE STATE OF A LIFT CAGE AND LIFT SYSTEM WHEREIN THE METHOD IS USED	020036	0939
11/881,212	7/26/2007		Wolfgang Vogl	METHOD OF CONTROLLING ACCESS TO AN ELEVATOR CAR	019757	0307

	9	BRAKE DEVICE OF AN ELEVATOR CAR 019445 0004	METHOD FOR TRANSPORTING PERSONS IN A BUILDING 019479 0143	019479	OMPRISING A LIGHT MODULE 019444		ELEVATOR WITH FLAT BELT AS SUSPENSION 019570 0914	LIFT CAGE AND METHOD FOR INSTALLATION OF A LIFT 020997 0180	ELEVATOR CAR AND METHOD OF INSTALLING WALL 018681 0262 ELEMENTS OF A CAR WALL	CONVEYING INSTALLATION AND METHOD OF PLACING A 018652 0705 CONVEYING INSTALLATION IN OPERATION		COMPENSATION WITH EQUIPMENT FOR 018617 0668 COMPENSATION FOR THE WEIGHT DIFFERENCE BETWEEN CAGE RUNS AND THE COUNTERWEIGHT RUNS OF THE SUPPORT MEANS AND METHOD FOR REALISATION OF SUCH COMPENSATION	ELEVATOR INSTALLATION WITH DRIVEBELT PULLEY AND 018317 0410	0.000	016590	ELEVATOR CABIN WITH INTEGRATED VENTILATION 016061 0790	ELEVATOR WITH AN ALL OPTICAL CONTROL APPARATUS 016065 0156	SAFETY SYSTEM FOR AN ELEVATOR INSTALLATION AND 015855 0521 METHOD OF OPERATING AN ELEVATOR INSTALLATION
'Applicant' - I'	Denis Sittler	Walter Windlin	Lukas Finschi	Lukas Finschi	Guntram Begle	Ernst Ach	IISL ACI	Julian Maury	Denis Sittler	Erich Tschuemperlin	Robert Stalder		Erst Ach	Philipp Angst		Agriaido Santos	Murilo Lopes Dos Santos	Romeo DePlazes
2000.00		>			9	<u>u</u>		วั	Ā	Ū	R		E	7,353,916 Ph	7 050 059		7,380,641 Mu Sai	7,353,914 Ro
Filed Patent No.	4 /30/2007	4 /30/2007	6 /1 /2007	6 /1 /2007	4/25/2007	7 /18/2007		5 /27/2008	12/12/2006	12/7/2006	11/21/2006		9 /15/2006	5 /20/2005	12/6 /2004	·	12/6 /2004	9 /29/2004
Serial No	117.90,909	11/796,960	11/792,215	11/792,213	11/666,217	11/665,938		11/662,438	11/637,313	11/635,257	11/603,600		11/521,658	11/133,729	11/005 147		11/005,135	10/953,440

		1	T	Т	т—	т—	T	T				т
	0556	0315	0240	0593	0730	0984	0864	0050	0302	0602	0632	0158
Ree()	015457	015245	015124	015120	015054	011769	014803	014795	014645	014479	018043	017437
ELEVATOR INSTALLATION FOR ZONAL OPERATION IN A BUILDING, METHOD FOR ZONAL OPERATION OF SUCH AN ELEVATOR INSTALLATION AND METHOD FOR MODERNIZATION OF AN ELEVATOR	ELEVATOR INSTALLATION, A METHOD OF OPERATING THIS ELEVATOR INSTALLATION, AND METHOD OF MODERNIZING AN ELEVATOR INSTALLATION	DRIVE PULLEY FOR ELEVATORS AND METHOD OF MANUFACTURE THEREOF	METHOD AND SYSTEM FOR MAINTENANCE OF AN ELEVATOR OR ESCALATOR INSTALLATION	STOP BAR FOR CREATING A TEMPORARY SAFETY SPACE 015120 WITHIN AN ELEVATOR HOISTWAY	PREVENTING UNAUTHORIZED HOISTWAY ACCESS	DOOR TRACK FOR AN ELEVATOR DOOR SYSTEM	METHOD AND SYSTEM FOR EMERGENCY EVACUATION OF BUILDING OCCUPANTS AND A METHOD FOR MODERNIZATION OF AN EXISTING BUILDING WITH SAID SYSTEM	METHOD AND DEVICE FOR CONTROLLING A ZONALLY OPERATED ELEVATOR INSTALLATION	DRIVE CAPABLE SUPPORT OR TRACTION MEANS AND METHOD FOR PRODUCTION THEREOF	ELEVATOR PROCEDURE FOR MAINTENANCE OF THE ELEVATOR, PROCEDURE FOR THE MODERNIZATION OF AN ELEVATOR AND CLAMPING DEVICE FOR AN ELEVATOR	ELEVATOR SYSTEM	SAFETY SYSTEM FOR AN ELEVATOR STRUCTURE
Eugen Hagi	Romeo DePlazes	Urs Ammon	Paul Fisher	Johannes Kocher	Johannes Kocher	Michael Miller	Lorenzo Parrini	Miroslav Kosta	Roland Eichhorn	Peter Spiess	Ernst Ach	Romeo DePlazes
7,360,629	7,467,691			7,322,445	7,237,665	7,152,713	7,182,174	7,128,190	7,185,482	7,207,550		7,350,624
(Fled - 9 /27/2004	6 /9 /2004	4 /20/2004	3 /18/2004	3 /18/2004	3 /1 /2004	12/17/2003	12/15/2003	12/10/2003	10/24/2003	9 /10/2003	7 /6 /2006	12/30/2005
10/950,899	10/864,131	10/827,832	10/804,888	10/804,243	10/790,581	10/739,957	10/737,249	10/733,001	10/693,384	10/659,102	10/585,563	10/563,184

9 0921						
NCODER SING AT 016649	AN 016503	S AT OP OF LLING	OP OF LLING	OP OF LLING	ING AT 016649 E TOP OF TROLLING GH 015365 ATOR (STEM, RODUCT 013504 ERIALS	SING AT 016649 SING AT 016649 FROLLING GH 015365 ATOR (STEM, RODUCT 013504 ERIALS
CONTROLLING AND/OR MONITORING DEVICE USING AT LEAST A TRANSMISSION CONTROLLER	CONTROL AND/OR MONITORING DEVICE USING AN	CONTROLLING AND/OR MONITORING DEVICE USING AT LEAST A TRANSMISSION CONTROLLER ELEVATOR INSTALLATION HAVING A VIRTUAL PROTECTION AREA AT THE BOTTOM AND/OR THE TOP OF THE ELEVATOR SHAFT, AND METHOD FOR CONTROLLING THE SAME	CONTROLLING AND/OR MONITORING DEVICE USING LEAST A TRANSMISSION CONTROLLER ELEVATOR INSTALLATION HAVING A VIRTUAL PROTECTION AREA AT THE BOTTOM AND/OR THE TO THE ELEVATOR SHAFT, AND METHOD FOR CONTROMETHOD FOR PREVENTING AN INADMISSIBLY HIGH SPEED OF THE LOAD RECEIVING MEANS OF AN ELEVATOR	CONTROLLING AND/OR MONITORING DEVICE USING AT LEAST A TRANSMISSION CONTROLLER ELEVATOR INSTALLATION HAVING A VIRTUAL PROTECTION AREA AT THE BOTTOM AND/OR THE TOP THE ELEVATOR SHAFT, AND METHOD FOR CONTROLLII THE SAME METHOD FOR PREVENTING AN INADMISSIBLY HIGH SPEED OF THE LOAD RECEIVING MEANS OF AN ELEVATOR SYSTEM FOR SECURITY CONTROL AND/OR TRANSPORTATION OF PERSONS WITH AN ELEVATOR INSTALLATION, METHOD OF OPERATING THIS SYSTEM, AND METHOD OF RETROFITTING AN ELEVATOR INSTALLATION WITH THIS SYSTEM	CONTROLLING AND/OR MONITORING DEVICE USING AT LEAST A TRANSMISSION CONTROLLER ELEVATOR INSTALLATION HAVING A VIRTUAL PROTECTION AREA AT THE BOTTOM AND/OR THE TOP OF THE ELEVATOR SHAFT, AND METHOD FOR CONTROLLING THE SAME METHOD FOR PREVENTING AN INADMISSIBLY HIGH METHOD FOR PREVENTING AN INADMISSIBLY HIGH SPEED OF THE LOAD RECEIVING MEANS OF AN ELEVATOR SYSTEM FOR SECURITY CONTROL AND/OR TRANSPORTATION OF PERSONS WITH AN ELEVATOR INSTALLATION WITH THIS SYSTEM AND METHOD OF RETROFITTING AN ELEVATOR INSTALLATION WITH THIS SYSTEM METHOD, SYSTEM AND COMPUTER PROGRAM PRODUCT FOR COMPUTER-ASSISTED FURNISHING OF MATERIALS IN ELEVATOR CONSTRUCTION	TORING DEVICE USING ITROLLER VING A VIRTUAL OTTOM AND/OR THE TOWN AND/OR THE TOWN AND/OR THE TOWN AND/OR THE SYSTE ING AND AND/OR THIS SYSTE ING AN ELEVATOR STEM TOTER PROGRAM PROFUTER AND
CONTROLLING AND/OR MONITORING D LEAST A TRANSMISSION CONTROLLER	CONTROL AND/OR MONITORING DEVICE USING AN	CONTROLLING AND/OR MONITORING DEVICE LEAST A TRANSMISSION CONTROLLER ELEVATOR INSTALLATION HAVING A VIRTUAL PROTECTION AREA AT THE BOTTOM AND/OR THE ELEVATOR SHAFT, AND METHOD FOR CC	CONTROLLING AND/OR MONITORING DEVICE U LEAST A TRANSMISSION CONTROLLER ELEVATOR INSTALLATION HAVING A VIRTUAL PROTECTION AREA AT THE BOTTOM AND/OR TI THE ELEVATOR SHAFT, AND METHOD FOR CON THE SAME METHOD FOR PREVENTING AN INADMISSIBLY H SPEED OF THE LOAD RECEIVING MEANS OF AN ELEVATOR	CONTROLLING AND/OR MONITORING DEVICE U LEAST A TRANSMISSION CONTROLLER ELEVATOR INSTALLATION HAVING A VIRTUAL PROTECTION AREA AT THE BOTTOM AND/OR TI THE ELEVATOR SHAFT, AND METHOD FOR CON THE SAME METHOD FOR PREVENTING AN INADMISSIBLY H SPEED OF THE LOAD RECEIVING MEANS OF AN ELEVATOR SYSTEM FOR SECURITY CONTROL AND/OR TRANSPORTATION OF PERSONS WITH AN ELEV INSTALLATION, METHOD OF OPERATING THIS S AND METHOD OF RETROFITTING AN ELEVATOR INSTALLATION WITH THIS SYSTEM	CONTROLLING AND/OR MONITC LEAST A TRANSMISSION CONTR ELEVATOR INSTALLATION HAVI PROTECTION AREA AT THE BOT THE ELEVATOR SHAFT, AND ME THE SAME METHOD FOR PREVENTING AN SPEED OF THE LOAD RECEIVING ELEVATOR SYSTEM FOR SECURITY CONTR TRANSPORTATION OF PERSON INSTALLATION, METHOD OF OPI AND METHOD OF RETROFITTING INSTALLATION WITH THIS SYSTEM METHOD, SYSTEM AND COMPUTED FOR COMPUTER ASSISTED FUR IN ELEVATOR CONSTRUCTION	CONTROLLING AND/OR MONITORING DEVICE L LEAST A TRANSMISSION CONTROLLER ELEVATOR INSTALLATION HAVING A VIRTUAL PROTECTION AREA AT THE BOTTOM AND/OR T THE ELEVATOR SHAFT, AND METHOD FOR COT THE SAME METHOD FOR PREVENTING AN INADMISSIBLY I SPEED OF THE LOAD RECEIVING MEANS OF AN ELEVATOR SYSTEM FOR SECURITY CONTROL AND/OR TRANSPORTATION OF PERSONS WITH AN ELE INSTALLATION, METHOD OF OPERATING THIS SAND METHOD, SYSTEM AND COMPUTER PROGRAM FOR COMPUTER-ASSISTED FURNISHING OF MAIN BLEVATOR CONSTRUCTION ELEVATOR INSTALLATION WITH A DEVICE FOR OPERATING IN A SPECIAL MODE
LEAST A TR	CONTROL	LEAST A TE ELEVATOR PROTECTIC THE ELEVA THE SAME	LEAST A TE ELEVATOR PROTECTIC THE ELEVA THE SAME METHOD FC SPEED OF TE ELEVATOR	EESTA TE ELEVATOR PROTECTIC THE ELEVA THE SAME METHOD FC SPEED OF TELEVATOR SYSTEM FC TRANSPOR INSTALLATI AND METHC	LEAST A TE ELEVATOR PROTECTIC THE ELEVA THE SAME METHOD FC SPEED OF SYSTEM FC TRANSPOR INSTALLATI AND METHOD, S' FOR COMPU	LEAST A TR ELEVATOR PROTECTIC THE ELEVA THE SAME METHOD FC SPEED OF TRANSPOR INSTALLATI AND METHOD, S FOR COMPI IN ELEVATOR IN ELEVATOR IN ELEVATOR OPERATING
	Michel Gielis	Romeo DePlazes	Romeo DePlazes Philipp Angst	Romeo DePlazes Philipp Angst Paul Friedli	Romeo DePlazes Philipp Angst Paul Friedli	Romeo DePlazes Philipp Angst Paul Friedli Guntram Begle Christian Daniel
-	7,298,263					
	12/9 /2004				m 01	
	10/517,736	10/483,204	10/481,615	10/481,615	10/483,204 10/481,615 10/300,497	10/483,204 10/481,615 10/300,497 10/299,753 09/806,116